



ROY F. WESTON, INC. THREE HAWTHORN PARKWAY, SUITE 400 VERNON HILLS, ILLINOIS 60061 708-918-4000

15 September 1992

Mr. Wayde Hartwick Remedial Project Manager U.S. Environmental Protection Agency 77 West Jackson Boulevard Chicago, Illinois 60604

U.S. EPA Contract No.: 68-W8-0089

Work Assignment No.: 09-5PJ7/American Chemical Services

Document Control No.: 4500-09-AFVZ

Subject: Human Health Risk-Based Cleanup Levels

Dear Mr. Hartwick:

As you requested during our 15 September 1992 phone conversation, Roy F. Weston, Inc. (WESTON®) has corrected the typographical error in the cleanup level for isophorone that appeared in Table 1 of WESTON's 9 September 1992 submission.

If you have any questions or comments, please do not hesitate to call.

Very truly yours,

ROY F. WESTON, INC.

Thomas P. Graan

Risk Assessment Specialist

Tomas P. Gran

James M. Burton, P.E.

Site Manager

TPG:JMB:ll Attachments

Table 1

Human Health Risk-Based Groundwater Cleanup Standards: Upper Aquifer
American Chemical Services Site
Griffith, Indiana

Chemical	Reasonable Maximum Exposure Point Concentration (mg/L)	CLP Contract Required Quantitation Limit (CRQL) (mg/L)	Background Concentration (mg/L)	Maximum Contaminant Level (MCL) (mg/L)	Proposed MCL (mg/L)	Risk-Based Cleanup Levei ¹ (mg/L)	
						Future On-Site Resident	Current Off-Site Resident
Part A - Carcinosenic							
Benzene	100	0.01	,	0.005	- , .	·- 0.0019	0.0077
Vinyl Chloride	0.72	0.01	-	0.002	_	0.000034	0.00025
total PCBs	0.0296	0.001		0.0005	-	0.0000039	0.000062
bis(2-Chloroethyl)ether	0.25	0.01	_	-		0.00006	0.021
Arsenic*	0.0432	0.01 ²	_	0.05³	-	0.000045	0.0088
Tetrachioroethene	0.2	0.01	-	0.005	-	0.0013	0.008
Methylene Chloride	0.38	0.01	_	0.005	-	0.0053	0.0093
Chloromethane	0.068	0.61	-	-		0.004	0.0084
Beryllium	0.00025	0.005²	-	0.004	l –	0.000018	_
Trichloroethene	0.045	0.01		0.005	_	0.0041	0.024
bis(2-Ethylhexyt)phthalate	0.05	0.01	_	0.006	_	0.0058	_
Cyclic Ketones	0.092	_	-	_	-	0.014	0.0058
Pentachiorophenoi	0.003	0.025	_	0.001	-	0.0068	
1,4-Dichlorobenzene	0.01	0.01	-	0.075	-	0.0033	-
Isophorone	0.035	0.01	_	_	-	0.019	-
Part B - Noncarcinomenic		}	}	·	1	1	
2-Butanone	220	0.01	_	}		1.4	24
4-Methyl-2-pentanone	54	0.01	_] _] _	0.71	0.64

CH01\PUBLIC:\WO\ARCS\7330.T-1

4500-09-AFVZ

Table 1 (Continued)

Human Health Risk-Based Groundwater Cleanup Standards: Upper Aquifer American Chemical Services Site Griffith, Indiana

Chemical .	Reasonable Maximum Exposure Point Concentration (mg/L)	CLP Contract Required Quantitation Limit (CRQL) (mg/L)	Background Concentration (mg/L)	Maximum Contaminant Level (MCL) (mg/L)	Proposed MCL (mg/L)	Risk-Based Cleanup Level ¹ (mg/L)	
						Puture On-Site Resident	Current Off-Site Resident
Non-Cyclic Acids	1.1	-			***	0.024	0.28
Acetone	99	0.01	-		 ,	- 2.9	2.3
Branched Alkanes	0.72	-	-			-	0.21
Ethylbenzene	1.1	0.01	-	0.7		_	0.39
Thallium	0.004	0.01 ²	_	0.002		0.9024	
Dimethyl Ethyl Benzenes	0.4	-				-	0.25
1,2-Dichloroethene (cis)	0.4	0.01		0.07	-	0.29	0.33
Manganese	4.25	0.015 ²	0.31	-		3.3	
4-Methylphenol	2.2	0.01	_		-	1.7	-
Arsenic*	0.0432	0.012	_	0.05³		0.036	- 1
1,1-Dichloroethane	2.4	0.01			-	2.2	-

^{*} Chemical appears in both Part A and Part B of table.

1 Cleanup level is based either on carcinogenic risk (Part A of table) or on noncarcinogenic risk (Part B of table).

2 Construct Required Detection Limit (CRDL).

³ MCL under review.